GHS SAFETY DATA SHEET



Silicone Sealant - White

SECTION 1 - IDENTIFICATION				
Supplier: Hajoca Corporation			For any Transportation or Medical Chemical Emergencies call:	
Hajoca Corporation 2001 Joshua Road Lafayette Hill, PA 19444 Phone: 225-295-4212 Web Site : <u>www.mainlinlinecollection.com</u> E-mail : <u>mlcustomerservice@hajoca.com</u>		2 nlinlinecollection.com	<u>INFOTRAC</u> (800) 535-5053 <u>OR</u> (352) 323-3500	
Manufacturer: Black Swan Mfg. Co. 4540 W. Thomas St. Chicago, IL 60651- 3318 Tel.: 800-252-5796 Fax: 773-227-3705 Web Site : www.blackswanmfg.com E-mail : info@blackswanmfg.com			24 hours per day - 7 days a week	
Product Name: All Purpose Silicone Rubber Sealant - White		Silicone Rubber Sealant - White	Recommended Use: Sealant for indoor or outdoor use. Ideal for use in bathtubs, shower stalls, vanities, windows, etc.	
	SECTION 2 – HAZARD(S) IDENTIFICATION			
La	abels	NFPA	GHS Classification	
N	one	HEALTH HAZARD 4 - Deadly 3 - Extreme Danger 2 - Hazardous 4 - Below 73°F 3 - Below 100°F	Health Environmental	
N H	al Word None IMIS	1 - Slight Hazardous 0 - Normal Material SPECIFIC HAZARD Oxidizer Acid Alkali Alk	Acute Toxicity:Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: NO	
HEALTH FLAMMAB REACTIVIT		Corrosive COR 2 – Violent chemical change Radioactive 1 – Unstable if heated 0 – Stable	Physical None	
Hazardous Statements None			Precautionary Statements P102: Keep out of reach of children P271: Use only outdoors or in a well-ventilated area	

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS				
<u>Chemicals</u>	CAS#	EINECS#	REACH Pre-registration Number	<u>Approx %</u>
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE	64742-46-7	N/A	N/A	20 - 30%
SILICON DIOXIDE	7631-86-9	N/A	N/A	5 - 10%
*Unlisted ingredients are not classified as hazardo	us according to OSHA 1910.	1200.		

SECTION 4 – FIRST-AID MEASURES

Inhalation: Move into fresh air. If breathing is difficult, give oxygen and call physician.

Skin: Remove contaminated clothing and shoes and wash before reuse. Wash skin thoroughly with soap and water. If irritation persists get medical attention.

Eyes: Flush with water for 15 minutes. If irritation persists get medical attention.

Ingestion: Rinse mouth with water. DO NOT INDUCE VOMITING. Get medical attention.

SECTION 5 – FIRE-FIGHTING MEASURES

Fire Hazard: None.

Combustion Products: Carbon Dioxides, Silicone Dioxides, and Formaldehyde.

Extinguishing Media: Use water, alcohol resistant foam, dry chemical, and carbon dioxide.

Unsuitable Extinguishing Media: None known.

Protective Equipment: Self-contained breathing apparatus {(SCBA), MSHA/NIOSH}. Full protective gear.

Special Fire Fighting Procedures: Evacuate enclosed areas, stay upwind. Closed or confined quarters require self-contained breathing apparatus, positive pressure hose masks or airline masks. Use water spray to cool containers, to flush spills from sources of ignition and to disperse vapors.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wash walking surfaces with detergent and water to reduce slipping hazard.

Protective Equipment: As specified in the protective equipment section.

Emergency Procedures: None.

Environmental Precautions: None.

Methods for Cleaning Up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

SECTION 7 – HANDLING AND STORAGE		
Handling Use with adequate ventilation.	Store away from oxidizing materials. Store in accordance with the particular national regulations.	

	SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION			
Exposure Limits				

	Ex	<u>posure Limits</u>	
Hazardous Chemicals	ACGIH-TLV	ACGIH-STEL	OSHA-PEL
DISTILLATES (PETROLEUM			
HYDROTREATED MIDDLE	N/A	N/A	N/A
SILICON DIOXIDE	N/A	N/A	N/A
	C1		

Engineering Controls: Eye wash stations; Showers.

Ventilation: Exhaust ventilation.

Personal Protective Equipment – Respiratory: If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

Personal Protective Equipment – Skin: Rubber gloves.

Personal Protective Equipment – Eyes: Safety glasses / face protection.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance:PasteOdor:Acetic AcidpH:Not EstablishedMelting Point:Not EstablishedFreezing Point:Not EstablishedBoiling Point:Not Established

Flash Point: Specific Gravity: Solubility (H2O): Evaporation Rate: Vapor Density: VOC: Not Established Not Established Not Established Not Established Not Established Not Established Vapor Pressure: Flammability: Flammability Limits: Not Established Not Established LEL – Not Established UEL – Not Established

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Hazardous polymerization: Will not occur.

Conditions to avoid: Oxidizing materials can cause a reaction.

Incompatible materials: Oxidizing agents.

Hazardous decomposition products: Formaldehyde.

GHS SAFETY DATA SHEET

SECTION 11 – TOXICOLOGICAL INFORMATION

<u>Toxicity</u>				
Hazardous Chemicals	<u>LD50</u>	<u>LC50</u>		
DISTILLATES (PETROLEUM),				
HYDROTREATED MIDDLE	Oral: >5,000 mg/kg (rat)	N/A		
	Dermal: >2,000 mg/kg (rat)			
SILICON DIOXIDE	N/A	N/A		
Likely Routes of Exposure: Not classified.				
Symptoms and Effect - Inhalation: Not classified. Skin Contact: Not classified. Eye Contact: Not classified. Ingestion: Not classified.				
Long-Term Effect: None known.				
Pre-Existing Conditions: None known				

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: None. Persistance & Degradability: None. Bioaccumulative Potential: None. Mobility in soil: In normal use, emission of Volatile Organic Compounds (VOC's) to the air takes place, typically at a rate of ≤36 g/l.

SECTION 13 – DISPOSAL CONSIDERATION

Dispose of product or container in accordance with federal, state or local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

D.O.T. (U.S.): Not Regulated.

SECTION 15 – REGULATORY INFORMATION

Precautionary Label Information: None. **Risk Phrases:** None. **Safety Phrases: S2-**Keep out of reach of children.

SECTION 16 – OTHER INFORMATION

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Mfg. Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents and contractors of the information on the sheets. DATE: 01/01/2023